



Life is better
on a Honda



2021 FourTrax Foreman 4x4

BIG, STRONG, POWERFUL. THAT'S THE FOREMAN.

Everyone who works with their hands learns a truth early on: Never cut corners when it comes to your tools. Which is exactly why so many people rely on Honda's line of FourTrax Foreman ATVs. And it doesn't hurt that, like you, they play just as hard as they work. All three models offer features like a powerful 518cc engine, tough front and rear racks, an easy-to-use reverse system, a handy utility box and more. And every Foreman here uses a swingarm rear suspension that's perfect for hard work or towing. Looking for a machine with independent rear suspension (IRS)? Right this way: Check out our Foreman Rubicon models.

UTILITY ATVS ARE RECOMMENDED FOR RIDERS 16 YEARS AND OLDER. ATVS CAN BE HAZARDOUS TO OPERATE. FOR YOUR SAFETY, BE RESPONSIBLE. READ THE OWNER'S MANUAL. ALWAYS WEAR A HELMET, EYE PROTECTION AND PROTECTIVE CLOTHING. BE CAREFUL ON DIFFICULT TERRAIN. NEVER RIDE AFTER CONSUMING DRUGS OR ALCOHOL, ON PAVED SURFACES, ON PUBLIC ROADS, WITH PASSENGERS, OR AT EXCESSIVE SPEEDS. NO STUNT RIDING. RESPECT THE ENVIRONMENT WHEN RIDING. FourTrax® and Foreman® are registered trademarks of Honda Motor Co., Ltd. ©2020 American Honda Motor Co., Inc.



PRIOR YEAR MODEL SHOWN



Life is better
on a Honda



RED



OLIVE



Honda PHANTOM CAMO

FourTrax Foreman 4x4 EPS



RED



OLIVE



Honda PHANTOM CAMO

FourTrax Foreman 4x4 ES EPS



RED



Honda PHANTOM CAMO



MOOSE BROWN

FEATURES & BENEFITS




POWERFUL 518cc ENGINE

We gave the FourTrax Foreman a tough 518cc engine that cranks out plenty of horsepower and torque. That enhances the Foreman's overall performance, and also gives your Foreman excellent hill-climbing ability.



ELECTRIC REVERSE

Available on our Electric Shift Program (ESP) model, this single lever is a big improvement when it comes to convenience and ease of operation. It's especially useful when you have to shift from forward to reverse repeatedly, like when you're plowing snow.



SWINGARM SUSPENSION

The Foreman 4x4 rear swingarm with its solid axle provides superior capability for towing and hauling. Its long suspension stroke and plush seat let you tackle your favorite trail or the toughest chores in comfort all day long.



FRONT AND REAR CARGO RACKS

The Foreman's racks feature strong, steel construction, and a larger flat area. Better yet, they're designed to integrate with our Honda Pro-Connect™ system. You can quickly attach and detach accessories like our cargo boxes, without tools, for added flexibility and convenience.



Life is better
on a Honda

2021 FOURTRAX FOREMAN 4X4



FourTrax Foreman 4x4
MSRP \$7,399*



FourTrax Foreman 4x4 EPS
MSRP \$8,099*



FourTrax Foreman 4x4 ES EPS
MSRP \$8,349*

ENGINE TYPE	518cc liquid-cooled OHV longitudinally mounted single-cylinder four-stroke	518cc liquid-cooled OHV longitudinally mounted single-cylinder four-stroke	518cc liquid-cooled OHV longitudinally mounted single-cylinder four-stroke
BORE AND STROKE	96mm x 71.5mm	96mm x 71.5mm	96mm x 71.5mm
INDUCTION	PGM-FI	PGM-FI	PGM-FI
IGNITION	Full-transistorized type with electronic advance	Full-transistorized type with electronic advance	Full-transistorized type with electronic advance
STARTER	Electric with optional auxiliary recoil	Electric with optional auxiliary recoil	Electric with optional auxiliary recoil
COMPRESSION RATIO	9.5:1	9.5:1	9.5:1
CLUTCH	Automatic	Automatic	Automatic
TRANSMISSION	Five-speed with Reverse	Five-speed with Reverse	ESP Five-speed with Reverse
DRIVELINE	Direct front and rear driveshafts with TraxLok® and front differential lock	Direct front and rear driveshafts with TraxLok® and front differential lock	Direct front and rear driveshafts with TraxLok® and front differential lock
FRONT SUSPENSION	Independent double-wishbone; 7.28 inches of travel	Front Suspension Independent double-wishbone; 7.28 inches of travel	Front Suspension Independent double-wishbone; 7.28 inches of travel
REAR SUSPENSION	Swingarm with single shock; 7.28 inches of travel	Swingarm with single shock; 7.28 inches of travel	Swingarm with single shock; 7.28 inches of travel
FRONT BRAKES	Dual hydraulic 190mm disc	Dual hydraulic 190mm discs	Dual hydraulic 190mm discs
REAR BRAKES	Sealed 160mm mechanical drum	Sealed 160mm mechanical drum	Sealed 160mm mechanical drum
FRONT TIRES	25 x 8-12	25 x 8-12	25 x 8-12
REAR TIRES	25 x 10-12	25 x 10-12	25 x 10-12
LENGTH	82.8 inches	82.8 inches	82.8 inches
WIDTH	47.4 inches	47.4 inches	47.4 inches
HEIGHT	48.0 inches	48.0 inches	48.0 inches
WHEELBASE	50.0 inches	50.0 inches	50.0 inches
SEAT HEIGHT	34.2 inches	34.2 inches	34.2 inches
GROUND CLEARANCE	7.5 inches	7.5 inches	7.5 inches
CURB WEIGHT	636 pounds (includes all standard equipment, required fluids and a full tank of fuel—ready to ride)	646 pounds (Includes all standard equipment, required fluids and a full tank of fuel—ready to ride)	654 pounds (Includes all standard equipment, required fluids and a full tank of fuel—ready to ride)
FUEL CAPACITY	3.9 gallons, including 1.3-gallon reserve	3.9 gallons, including 1.3-gallon reserve	3.9 gallons, including 1.3-gallon reserve
TURNING RADIUS	10.5 feet	10.5 feet	10.5 feet
FRONT RACK CAPACITY	88 pounds	88 pounds	88 pounds
REAR RACK CAPACITY	176 pounds	176 pounds	176 pounds

*MSRP excluding tax, license, registration, \$400.00 destination charge and dealer-installed options. Dealer prices may vary.