



## SMILE AFTER SMILE

Luxury is not just riding to your dream destinations, it's doing it with someone on the back and endless road ahead. The Gold Wing Tour lineup is legendary for that very reason. And the 50th Anniversary Gold Wing? Well, it's the culmination of five decades of engineering excellence resulting in unmatched comfort, performance, innovation and control.



# 2025 Gold Wing Tour/ Automatic DCT/Airbag

ALWAYS WEAR A HELMET, EYE PROTECTION AND PROTECTIVE CLOTHING. NEVER RIDE AFTER CONSUMING DRUGS OR ALCOHOL, AND NEVER USE THE STREET AS A RACETRACK. RESPECT THE ENVIRONMENT WHEN RIDING. Gold Wing® is a registered trademark of Honda Motor Co., Ltd. Apple CarPlay and iPhone are trademarks of Apple Inc. For using Apple CarPlay, connection to a commercially available Bluetooth headset is necessary. See owner's manual for Bluetooth headset requirements. ©2025 American Honda Motor Co., Inc



## FEATURES & BENEFITS

### ENGINE

The horizontally opposed six-cylinder engine is famously smooth and powerful. The latest version is an 1833cc design that's over 13 pounds lighter than previous generations (more than eight pounds less for our DCT trims). *Standard on: all trims.*

### Gold Wing Tour



### Gold Wing Tour Automatic DCT



### Gold Wing Tour Airbag Automatic DCT



### SPECIAL 50th ANNIVERSARY EDITION

2025 is a year to celebrate — 50 years since the original Gold Wing first revolutionized the world of motorcycle touring. That's why we're producing a special 50th Anniversary model, with exclusive graphics and a "since 1975" opening sequence on the instrument display. *Standard on: 50th Anniversary trims.*

### EXCLUSIVE 50th ANNIVERSARY COMMEMORATIVE BOOK AND TABLETOP MODEL

We're giving every Gold Wing 50th Anniversary Edition purchaser a specially commissioned 198-page hardbound book. In addition, they'll also receive a 1/12-scale desktop model celebrating the 1975/2025 Gold Wing.

### DOUBLE-WISHBONE FRONT SUSPENSION

The radical double-wishbone front suspension delivers stellar handling and gives the bike a sleek, sporty appearance. The innovative design changes the wheel's path, letting us move both the engine and rider/passenger closer to the front wheel. *Standard on: all trims.*





# 2025 Gold Wing Tour/ Automatic DCT/ Airbag



**Gold Wing Tour**



**Gold Wing Tour Automatic DCT**



**Gold Wing Tour DCT Airbag**

	<b>Gold Wing Tour</b>	<b>Gold Wing Tour Automatic DCT</b>	<b>Gold Wing Tour DCT Airbag</b>
<b>ENGINE TYPE</b>	1833cc liquid-cooled horizontally opposed six-cylinder four-stroke	1833cc liquid-cooled horizontally opposed six-cylinder four-stroke	1833cc liquid-cooled horizontally opposed six-cylinder four-stroke
<b>BORE AND STROKE</b>	73.0mm x 73.0mm	73.0mm x 73.0mm	73.0mm x 73.0mm
<b>INDUCTION</b>	Programmed Fuel Injection (PGM-FI); 50mm throttle body	Programmed Fuel Injection (PGM-FI); 50mm throttle body	Programmed Fuel Injection (PGM-FI); 50mm throttle body
<b>VALVE TRAIN</b>	Unicam SOHC; four valves per cylinder	Unicam SOHC; four valves per cylinder	Unicam SOHC; four valves per cylinder
<b>COMPRESSION RATIO</b>	10.5:1	10.5:1	10.5:1
<b>TRANSMISSION</b>	Six-speed Including overdrive; electric reverse	Seven-speed automatic DCT; plus reverse and walking mode	Seven-speed automatic DCT; plus reverse and walking mode
<b>FINAL DRIVE</b>	Shaft	Shaft	Shaft
<b>FRONT SUSPENSION</b>	Double wishbone; 4.3 inch-travel	Double wishbone; 4.3 inch-travel	Double wishbone; 4.3 inch-travel
<b>REAR SUSPENSION</b>	Pro Arm® single-sided swingarm with Pro-Link® single shock; 4.1 inch-travel	Pro Arm single-sided swingarm with Pro-Link single shock; 4.1 inch-travel	Pro Arm single-sided swingarm with Pro-Link single shock; 4.1 inch-travel
<b>FRONT BRAKES</b>	Dual 320mm discs	Dual 320mm discs ABS	Dual 320mm discs
<b>REAR BRAKE</b>	Single 316mm disc	Single 316mm disc	Single 316mm disc
<b>FRONT TIRES</b>	130/70-18	130/70-18	130/70-18
<b>REAR TIRES</b>	200/55-16	200/55-16	200/55-16
<b>RAKE</b>	30.5°	30.5°	30.5°
<b>TRAIL</b>	4.3 inches	4.3 inches	4.3 inches
<b>WHEELBASE</b>	66.9 inches	66.9 inches	66.9 inches
<b>SEAT HEIGHT</b>	29.3 inches	29.3 inches	29.3 inches
<b>CURB WEIGHT</b>	845 pounds (Includes all standard equipment, required fluids and full tank of fuel)	847 pounds (Includes all standard equipment, required fluids and a full tank of fuel)	853 pounds (Includes all standard equipment, required fluids and a full tank of fuel)
<b>FUEL CAPACITY</b>	5.5 gallons	5.5 gallons	5.5 gallons