



## 2022 Pioneer 1000

### MEET OUR NEWEST PIONEERS

Maybe you want a side by side for work. Maybe it's for play. And maybe it's for both. But one thing's for certain: Honda's Pioneer® 1000 lineup is the cream of the crop. Best of all, this year they're even better with the addition of our new Forest and Trail models, plus some major upgrades throughout the entire line.

First, we now have four offerings in our three-seat lineup: the Pioneer 1000, the Pioneer 1000 Deluxe, and the new Pioneer 1000 Trail and Pioneer 1000 Forest. Plus, all Pioneer 1000 models now offer more power from their Honda Unicam® engines, a new instrument panel, new, larger cupholders, upgraded tires and wheels, new Electric Power Steering, new graphics and front-grille design, and much, much more. And some even offer new under-dash and under-seat storage as well, and a new bed light. And remember, if you need more seating, just check out our five-seat Pioneer 1000-5 models. No matter which Pioneer you choose, you'll be getting Honda's legendary durability, quality, and reliability too.

More models, more features, more improvement – Honda's Pioneer 1000 line is our strongest ever!

PIONEER 1000 IS ONLY FOR DRIVERS 16 YEARS AND OLDER. MULTI-PURPOSE UTILITY VEHICLES (SIDE-BY-SIDES) CAN BE HAZARDOUS TO OPERATE. FOR YOUR SAFETY, DRIVE RESPONSIBLY. ALWAYS WEAR A HELMET, EYE PROTECTION AND APPROPRIATE CLOTHING. ALWAYS WEAR YOUR SEAT BELT, AND KEEP THE SIDE NETS AND DOORS CLOSED. AVOID EXCESSIVE SPEEDS AND BE CAREFUL ON DIFFICULT TERRAIN. READ THE OWNER'S MANUAL BEFORE OPERATING THE VEHICLE. NEVER DRIVE AFTER CONSUMING DRUGS OR ALCOHOL, OR ON PUBLIC ROADS. DRIVER AND PASSENGERS MUST BE TALL ENOUGH FOR SEAT BELT TO FIT PROPERLY AND TO BRACE THEMSELVES WITH BOTH FEET FIRMLY ON THE FLOOR. PASSENGER MUST BE ABLE TO GRASP THE HAND HOLD WITH THE SEAT BELT ON AND BOTH FEET ON THE FLOOR. RESPECT THE ENVIRONMENT WHEN DRIVING. Pioneer®, Unicam® and QuickFlip® are registered trademarks of Honda Motor Co., Ltd. ©2022 American Honda Motor Co., Inc..







Pioneer 1000



Pioneer 1000  
Deluxe



Pioneer 1000  
Trail



Pioneer 1000  
Forest



## PIONEER 1000 FEATURES & BENEFITS



### **i-4WD**

i-4WD is a brake-traction control system that simplifies operation, increases drivability and optimizes traction. You get the benefits of a locked front differential without the downsides. That means front-wheel traction even if one wheel wants to spin on ice or mud or if it's in a hole. At the same time, you get the lighter steering, better tracking at high speeds, tighter turning radius, and reduced kickback associated with unlocked front differentials.



### **MORE POWERFUL 999cc TWIN-CYLINDER ENGINE**

We've boosted the engine power in our entire Pioneer 1000 lineup, especially in the midrange and top end. The improved acceleration and overall performance is noticeable, magnified by this year's new lower gear ratios. Using the same Unicam cylinder head design found in our motocross bikes, the class-leading 999cc liquid-cooled inline twin is more compact, and it still delivers the kind of horsepower and torque you'd expect from a flagship model.



### **CHASSIS AND SUSPENSION**

Prepare to go further than ever before. Our refined chassis enables you to tackle terrain others would shy away from, with larger tires, long-travel independent front and rear suspension and huge ground clearance. The rubber mounted engine and exhaust system insulates against excessive vibration.



### **1000-POUND-CAPACITY TILT BED**

There are a ton of reasons to buy a Pioneer 1000. Among them: the half-ton hauling capacity.\* And when it comes to dumping, we've made it easier than ever, with a hydraulic assist tilt bed lever that can be accessed from outside the vehicle, or right from the driver's seat.

\*600-pound bed capacity for CA models



# 2022 PIONEER 1000



**Pioneer 1000 EPS**



**Pioneer 1000 Deluxe**

<b>ENGINE TYPE</b>	999cc liquid-cooled twin-cylinder Unicam four-stroke	999cc liquid-cooled twin-cylinder Unicam four-stroke
<b>BORE AND STROKE</b>	92.0mm x 75.15mm	92.0mm x 75.15mm
<b>COMPRESSION RATIO</b>	10:1	10:1
<b>INDUCTION</b>	Fuel Injection (PGM-FI), 44mm throttle body	Fuel Injection (PGM-FI), 44mm throttle body
<b>IGNITION</b>	Full-transistorized with electronic advance	Full-transistorized with electronic advance
<b>CLUTCH</b>	Automatic	Automatic
<b>TRANSMISSION</b>	Fully Automatic Dual Clutch Transmission (DCT) with six forward gears and Reverse. Four drive modes include 2WD, 4WD, Turf and Differential lock. Paddle Shifters with three shift modes (standard, sport, and manual).	Fully Automatic Dual Clutch Transmission (DCT) with six forward gears and Reverse. Four drive modes include 2WD, 4WD, Turf and Differential lock. Paddle Shifters with three shift modes (standard, sport, and manual).
<b>DRIVELINE</b>	Direct front and rear driveshafts	Direct front and rear driveshafts
<b>FRONT SUSPENSION</b>	Independent double-wishbone; 10.6 inches of travel	Independent double-wishbone; 10.6 inches of travel
<b>REAR SUSPENSION</b>	Independent double-wishbone; 10 inches of travel	Independent double-wishbone; 10 inches of travel
<b>FRONT BRAKE</b>	Dual 210mm hydraulic discs	Dual 210mm hydraulic discs
<b>REAR BRAKE</b>	Dual 210mm hydraulic discs	Dual 210mm hydraulic discs
<b>FRONT TIRES</b>	27 x 9-1	27 x 9-14
<b>REAR TIRES</b>	27 x 11-1	27 x 11-14
<b>LENGTH</b>	117.1 inches	117.1 inches
<b>WIDTH</b>	63.0 inches	63.0 inches
<b>HEIGHT</b>	76.9 inches	76.9 inches
<b>WHEELBASE</b>	80.2 inches	80.2 inches
<b>BED CAPACITY</b>	600 for pounds for CA model	600 for pounds for CA model
<b>BED CAPACITY</b>	1000 pounds for 49 states <sup>1</sup>	1000 pounds for 49 states <sup>1</sup>
<b>TOWING CAPACITY</b>	2500 pounds	2500 pounds
<b>GROUND CLEARANCE</b>	13.58 inches	13.58 inches
<b>CURB WEIGHT</b>	1595 pounds - (Includes all standard equipment, required fluids and full tank of fuel.)	1598 pounds - (Includes all standard equipment, required fluids and full tank of fuel.)
<b>FUEL CAPACITY</b>	7.9 gallons, including 1.7-gallon reserve	7.9 gallons, including 1.7-gallon reserve
<b>TURNING RADIUS</b>	13.8 feet	13.8 feet

**One Year Included** Transferable, unlimited-mileage limited warranty  
**Optional Extended** Extended coverage available with a HondaCare Protection Plan<sup>®</sup>



# 2022 PIONEER 1000



**Pioneer 1000 Trail**



**Pioneer 1000 Forest**

<b>ENGINE TYPE</b>	999cc liquid-cooled twin-cylinder Unicam four-stroke	999cc liquid-cooled twin-cylinder Unicam four-stroke
<b>BORE AND STROKE</b>	92.0mm x 75.15mm	92.0mm x 75.15mm
<b>COMPRESSION RATIO</b>	10:1	10:1
<b>INDUCTION</b>	Fuel Injection (PGM-FI), 44mm throttle body	Fuel Injection (PGM-FI), 44mm throttle body
<b>IGNITION</b>	Full-transistorized with electronic advance	Full-transistorized with electronic advance
<b>CLUTCH</b>	Automatic	Automatic
<b>TRANSMISSION</b>	Fully Automatic Dual Clutch Transmission (DCT) with six forward gears and Reverse. Four drive modes include 2WD, 4WD, Turf and Differential lock. Paddle Shifters with three shift modes (standard, sport, and manual).	Fully Automatic Dual Clutch Transmission (DCT) with six forward gears and Reverse. Four drive modes include 2WD, 4WD, Turf and Differential lock. Paddle Shifters with three shift modes (standard, sport, and manual).
<b>DRIVELINE</b>	Direct front and rear driveshafts	Direct front and rear driveshafts
<b>FRONT SUSPENSION</b>	Independent double-wishbone; 10.6 inches of travel	Independent double-wishbone; 10.6 inches of travel
<b>REAR SUSPENSION</b>	Independent double-wishbone; 10 inches of travel	Independent double-wishbone; 10 inches of travel
<b>FRONT BRAKE</b>	Dual 210mm hydraulic discs	Dual 210mm hydraulic discs
<b>REAR BRAKE</b>	Dual 210mm hydraulic discs	Dual 210mm hydraulic discs
<b>FRONT TIRES</b>	27 x 9-14	27 x 9-14
<b>REAR TIRES</b>	27 x 11-14	27 x 11-14
<b>LENGTH</b>	120.4 inches	120.4 inches
<b>WIDTH</b>	63.0 inches	63.0 inches
<b>HEIGHT</b>	76.1 inches	76.6 inches
<b>WHEELBASE</b>	80.2 inches	80.2 inches
<b>BED CAPACITY</b>	600 for pounds for CA model	600 for pounds for CA model
<b>BED CAPACITY</b>	1000 pounds for 49 states	1000 pounds for 49 states
<b>TOWING CAPACITY</b>	2500 pounds	2500 pounds
<b>GROUND CLEARANCE</b>	12.8 inches	12.8 inches
<b>CURB WEIGHT</b>	1654 pounds -(Includes all standard equipment, required fluids and full tank of fuel.)	1676 pounds -(Includes all standard equipment, required fluids and full tank of fuel.)
<b>FUEL CAPACITY</b>	7.9 gallons, including 1.7-gallon reserve	7.9 gallons, including 1.7-gallon reserve
<b>TURNING RADIUS</b>	13.8 feet	13.8 feet