



## FOUR SEATS, ENDLESS THRILLS

Epic days on the trail are even better if you can share them. Which, of course, is why we make the Talon 1000X-4. Built especially for tighter, more technical trails, its 999cc Unicam® engine gives you excellent power, made even better because you also get our unique automatic Dual-Clutch Transmission (DCT). Seating for four lets you share the shred. Bonus points for our available FOX Live Valve model, with premium suspension. Isn't it time you discover just how good life can be when you step up to a Honda?



# 2026 Talon 1000X-4/ FOX Live Valve

TALONS ARE ONLY FOR DRIVERS 16 YEARS AND OLDER. MULTI-PURPOSE UTILITY VEHICLES (SIDE-BY-SIDES) CAN BE HAZARDOUS TO OPERATE. FOR YOUR SAFETY, DRIVE RESPONSIBLY. ALWAYS WEAR A HELMET, EYE PROTECTION, APPROPRIATE CLOTHING AND READ THE OWNER'S MANUAL BEFORE OPERATING THE VEHICLE. ALWAYS WEAR YOUR SEAT BELT, AND KEEP THE SIDE NETS AND DOORS CLOSED. NEVER DRIVE AFTER CONSUMING DRUGS OR ALCOHOL, OR ON PUBLIC ROADS. DRIVER AND PASSENGERS MUST BE TALL ENOUGH FOR SEAT BELT TO FIT PROPERLY AND TO BRACE THEMSELVES WITH BOTH FEET FIRMLY ON THE FLOOR. PASSENGER MUST BE ABLE TO GRASP THE GRAB BAR WITH THE SEAT BELT ON AND BOTH FEET ON THE FLOOR. RESPECT THE ENVIRONMENT WHEN DRIVING. Talon® is a registered trademark of Honda Motor Co., Ltd. ©2026 American Honda Motor Co., Inc.



### Talon 1000X-4



### Talon 1000X-4 FOX Live Valve



## FEATURES & BENEFITS

### POWERFUL 999cc TWIN-CYLINDER ENGINE

Experience unparalleled power with our liquid-cooled 999cc Unicam® parallel-twin engine, boasting high horsepower, big torque, and unmatched refinement and reliability throughout the rpm range.

### DRIVER AND PASSENGER PROTECTION

Experience unparalleled power with our liquid-cooled 999cc Unicam® parallel-twin engine, boasting high horsepower, big torque, and unmatched refinement and reliability throughout the rpm range.

### AUTOMATIC SIX-SPEED DCT

Our automatic Dual-Clutch Transmission (DCT) boasts a class-leading gear-driven setup, giving you manual or automatic control. It has efficient power delivery, true engine braking, and superior performance to belt-driven CVTs

### STADIUM SEATING

Welcome to the best seats in the house: Because they sit nearly three inches higher and two inches closer to each other than the fronts, the rear “Stadium Seating” lets passengers see more. Enjoy the view!





# 2026 Talon 1000X-4 / FOX Live Valve



**Talon 1000X-4**

**Talon 1000X-4 FOX Live Valve**

<b>ENGINE TYPE</b>	999cc liquid-cooled longitudinally mounted parallel-twin four-stroke	999cc liquid-cooled longitudinally mounted parallel-twin four-stroke
<b>BORE AND STROKE</b>	92.0mm x 75.1mm	92.0mm x 75.1mm
<b>INDUCTION</b>	Fuel Injection (PGM-FI); 46mm throttle body	Fuel Injection (PGM-FI); 46mm throttle body
<b>VALVE TRAIN</b>	Unicam® SOHC; four valves per cylinder	Unicam® SOHC; four valves per cylinder
<b>COMPRESSION RATIO</b>	10:1	10:1
<b>TRANSMISSION</b>	Six-speed automatic Dual-Clutch Transmission; i4WD	Six-speed automatic Dual-Clutch Transmission; i4WD
<b>DRIVELINE</b>	Direct front and rear driveshafts	Direct front and rear driveshafts
<b>FRONT SUSPENSION</b>	Independent double-wishbone; 14.6 inch travel	Independent double-wishbone with FOX Live Valve shock absorbers; 14.4-inch travel
<b>REAR SUSPENSION</b>	3 link trailing arm; 15.0-inch travel	4+ link trailing arm with FOX Live Valve shock absorbers; 15.0-inch travel
<b>FRONT BRAKES</b>	Dual 250mm hydraulic discs	Dual 250mm hydraulic discs
<b>REAR BRAKES</b>	Dual 250mm hydraulic discs	Dual 250mm hydraulic discs
<b>FRONT TIRES</b>	28 x 9-15	28 x 9-15
<b>REAR TIRES</b>	28 x 11-15	28 x 11-15
<b>LENGTH</b>	152.5 inches	152.5 inches
<b>WIDTH</b>	64.0 inches	64.0 inches
<b>HEIGHT</b>	78.6 inches	78.2 inches
<b>WHEELBASE</b>	116.4 inches	116.4 inches
<b>BED CAPACITY</b>	297 pounds	297 pounds
<b>SEAT HEIGHT</b>	28.0 inches	28.0 inches
<b>GROUND CLEARANCE</b>	12.8 inches	12.4 inches
<b>CURB WEIGHT</b>	1811 pounds - Includes all standard equipment, required fluids, and a full fuel tank	1813 pounds - Includes all standard equipment, required fluids, and a full fuel tank.
<b>FUEL CAPACITY</b>	7.7 gallons	7.7 gallons
<b>TURNING RADIUS</b>	21.7 feet	21.7 feet