

# **Compare motorcycles**



2026 CBR600RR



# 2026 CBR600RR ABS

ENGINE		
Engine Type	Engine Type	
599cc liquid-cooled inline four-cylinder four-stroke	599cc liquid-cooled inline four-cylinder four-stroke	
Bore And Stroke	Bore And Stroke	
67.0 mm x 42.5 mm	67.0 mm x 42.5 mm	
Induction	Induction	
Dual Stage Fuel Injection (DSFI) with 40.0 mm throttle bodies, Denso 12-hole injectors	Dual Stage Fuel Injection (DSFI) with 40.0 mm throttle bodies, Denso 12-hole injectors	
<b>Valve Train</b>	<b>Valve Train</b>	
DOHC; four valves per cylinder	DOHC; four valves per cylinder	
Compression Ratio	Compression Ratio	
12.2:1	12.2:1	
DRIVETRAIN		

Transmission	Transmission
Close-ratio six-speed	Close-ratio six-speed
<b>Final Drive</b>	<b>Final Drive</b>
#525 O-ring chain; 16T/42T	#525 O-ring chain; 16T/42T
CHASSIS SUSI	PENSION BRAKES
Front Suspension	Front Suspension
41.0 mm inverted Big Piston Fork with spring preload, rebound- and compression-	41.0 mm inverted Big Piston Fork with spring preload, rebound- and compression-
damping adjustability; 4.7-inch travel	damping adjustability; 4.7-inch travel
Rear Suspension	Rear Suspension
Unit Pro-Link® HMAS <sup>™</sup> single shock with spring preload, rebound- and compression-	Unit Pro-Link® HMAS™ single shock with spring preload, rebound- and compression
damping adjustability; 5.1-inch travel	damping adjustability; 5.1-inch travel
Front Brake	Front Brake
Dual radial-mounted full-floating 310.0 mm discs with four-piston calipers	Dual radial-mounted full-floating 310.0 mm discs with four-piston calipers
Rear Brake	<b>Rear Brake</b>
Single 220.0 mm disc	Single 220.0 mm disc
Front Tire	Front Tire
120/70ZR-17 radial	120/70ZR-17 radial
Rear Tire	Rear Tire
180/55ZR-17 radial	180/55ZR-17 radial
DIME	ENSIONS
<b>Rake</b>	<b>Rake</b>
23.5°	23.5°
Trail	<b>Trail</b>
3.9 inches	3.9 inches
Wheelbase	Wheelbase
53.9 inches	53.9 inches
Seat Height	Seat Height
32.4 inches	32.4 inches

Curb Weight	Curb Weight
419 pounds (Includes all standard equipment, required fluids and a full tank of fuel)	434 pounds (Include

I34 pounds (Includes all standard equipment, required fluids and a full tank of fuel)

## **Fuel Capacity**

4.8 gallons

## Fuel Capacity

4.8 gallons

Duration

## FACTORY WARRANTY INFORMATION

#### Duration

Transferable, one year included, unlimited-mileage limited warranty

### **Optional Extended**

Extended coverage available with a HondaCare® Protection Plan

Transferable, one year included, unlimited-mileage limited warranty

#### **Optional Extended**

Extended coverage available with a HondaCare® Protection Plan