



Compare motorcycles



2025 Rebel 1100T



2025 Rebel 1100T DCT

ENGINE

Engine Type

1083cc liquid-cooled 22.5° parallel-twin four-stroke

Engine Type

1083cc liquid-cooled 22.5° parallel-twin four-stroke

Bore And Stroke

92.0 mm x 81.5 mm

Bore And Stroke

92.0 mm x 81.5 mm

Induction

PGM-FI electronic fuel injection; 46.0 mm throttle body; throttle by wire

Induction

PGM-FI electronic fuel injection; 46.0 mm throttle body; throttle by wire

Valve Train

Unicam® SOHC; 4 valves per cylinder

Valve Train

Unicam® SOHC; 4 valves per cylinder

Compression Ratio

10.1:1

Compression Ratio

10.1:1

DRIVETRAIN

Transmission Six-speed manual	Transmission Six-speed Automatic Dual-Clutch Transmission
Final Drive #525 O-ring-sealed chain; 16T/42T	Final Drive #525 O-ring-sealed chain; 16T/42T
CHASSIS SUSPENSION BRAKES	
Suspension 43.0 mm fork; 5.5-inch travel; Dual Showa® shocks; 3.7-inch travel	Suspension 43.0 mm fork; 5.5-inch travel; Dual Showa® shocks; 3.7-inch travel
Front Brake Single 330.0 mm disc with radial-mount four-piston caliper; ABS	Front Brake Single 330.0 mm disc with radial-mount four-piston caliper; ABS
Rear Brake Single 256.0 mm disc; ABS	Rear Brake Single 256.0 mm disc; ABS
Front Tire 130/70-18	Front Tire 130/70-18
Rear Tire 180/65-16	Rear Tire 180/65-16
DIMENSIONS	
Rake 28°	Rake 28°
Trail 4.3 inches	Trail 4.3 inches
Wheelbase 59.8 inches	Wheelbase 59.8 inches
Seat Height 27.5 inches	Seat Height 27.5 inches
Fuel Capacity 3.6 gallons	Fuel Capacity 3.6 gallons
Curb Weight 520 pounds (Includes all standard equipment, required fluids and full tank of fuel)	Curb Weight 542 pounds (Includes all standard equipment, required fluids and full tank of fuel)

FACTORY WARRANTY INFORMATION

Duration

Transferable, one year included, unlimited-mileage limited warranty

Optional Extended

Extended coverage available with a HondaCare® Protection Plan

Duration

Transferable, one year included, unlimited-mileage limited warranty

Optional Extended

Extended coverage available with a HondaCare® Protection Plan