Compare motorcycles



2026 Grom



2026 Grom ABS



2026 Grom SP

ENGINE		
Engine Type 124cc air-cooled single-cylinder four-stroke	**Engine Type** 124cc air-cooled single-cylinder four-stroke	**Engine Type** 124cc air-cooled single-cylinder four-stroke
Bore And Stroke 50.0mm x 63.1mm	**Bore And Stroke** 50.0mm x 63.1mm	**Bore And Stroke** 50.0mm x 63.1mm
Compression Ratio 10.0:1	**Compression Ratio** 10.0:1	**Compression Ratio** 10.0:1
Valve Train SOHC; two valves per cylinder	**Valve Train** SOHC; two valves per cylinder	**Valve Train** SOHC; two valves per cylinder
Induction Programmed Fuel-Injection system (PGM-FI); 24mm throttle body	**Induction** Programmed Fuel-Injection system (PGM-FI); 24mm throttle body	**Induction** Programmed Fuel-Injection system (PGM-FI); 24mm throttle body

DRIVETRAIN		
Transmission Five-speed manual	**Transmission** Five-speed manual	**Transmission** Five-speed manual
Final Drive #420 Chain; 15T/38T	**Final Drive** #420 Chain; 15T/38T	**Final Drive** #420 Chain; 15T/38T
CHASSIS SUSPENSION BRAKES		
Front Suspension 31mm fork; 3.9-inch travel	**Front Suspension** 31mm fork; 3.9-inch travel	**Front Suspension** 31mm fork; 3.9-inch travel
Rear Suspension Single shock; 4.1-inch travel	**Rear Suspension** Single shock; 4.1-inch travel	**Rear Suspension** Single shock; 4.1-inch travel
Front Brake Single 220mm disc	**Front Brake** Single 220mm disc; ABS	**Front Brake** Single 220mm disc
Rear Brake Single 190mm disc	**Rear Brake** Single 190mm disc	**Rear Brake** Single 190mm disc
Front Tire 120/70-12	**Front Tire** 120/70-12	**Front Tire** 120/70-12
Rear Tire 130/70-12	**Rear Tire** 130/70-12	**Rear Tire** 130/70-12
DIMENSIONS		
Rake 25°	**Rake** 25°	**Rake** 25°
Trail 3.3 inches	**Trail** 3.3 inches	**Trail** 3.3 inches
Wheelbase 47.2 inches	**Wheelbase** 47.2 inches	**Wheelbase** 47.2 inches
Seat Height 30.0 inches	**Seat Height** 30.0 inches	**Seat Height** 30.0 inches

Fuel Capacity 1.6 gallons	**Fuel Capacity** 1.6 gallons	**Fuel Capacity** 1.6 gallons
Curb Weight 224 pounds (includes all standard equipment, required fluids and a full tank of fuel)	**Curb Weight** 227 pounds (includes all standard equipment, required fluids and a full tank of fuel)	**Curb Weight** 224 pounds (includes all standard equipment, required fluids and a full tank of fuel)

FACTORY WARRANTY INFORMATION

Duration Transferable, one year included, limited warranty	**Duration** Transferable, one year included, limited warranty	**Duration** Transferable, one year included, limited warranty
Optional Extended Extended coverage available with a HondaCare® Protection Plan	**Optional Extended** Extended coverage available with a HondaCare® Protection Plan	**Optional Extended** Extended coverage available with a HondaCare® Protection Plan