



Compare motorcycles



2025 PCX

ENGINE

Engine Type

157cc liquid-cooled 80° single-cylinder four-stroke

Bore And Stroke

60.0 mm x 55.5 mm

Compression Ratio

12.0:1

Valve Train

SOHC; four valves per cylinder

Induction

Programmed Fuel Injection (PGM-FI); 28.0 mm throttle body

DRIVETRAIN

Transmission

Automatic V-Matic belt drive

CHASSIS SUSPENSION BRAKES**Front Suspension**

31.0 mm telescopic fork; 3.9-inch travel

Rear Suspension

Twin hydraulic shock absorbers; 3.7-inch travel

Front Brake

Single 220.0 mm disc; front-wheel ABS

Rear Brake

Rod-actuated 130.0 mm drum

Front Tire

110/70-14

Rear Tire

130/70-13

DIMENSIONS**Rake**

26.5°

Trail

3.1 inches

Seat Height

30.1 inches

Wheelbase

51.7 inches

Curb Weight

291 pounds (Includes all standard equipment, required fluids and a full tank of fuel--ready to ride)

Fuel Capacity

2.1 gallons

FACTORY WARRANTY INFORMATION

Duration

Transferable, one year included, unlimited-mileage limited warranty

Optional Extended

Extended coverage available with a HondaCare® Protection Plan