



2026 CBR600RR SPECIFICATIONS*

ENGINE

Engine Type	599cc liquid-cooled inline four-cylinder four-stroke
Bore And Stroke	67.0mm x 42.5mm
Induction	Programmed Dual Stage Fuel Injection (PGM-DSFI); 40mm throttle bodies; Denso 12-hole injectors
Valve Train	DOHC; four valves per cylinder
Compression Ratio	12.2:1

DRIVETRAIN

Transmission	Close-ratio six-speed manual
Final Drive	#525 O-ring chain; 16T/42T

CHASSIS SUSPENSION BRAKES

Front Suspension	41mm inverted Showa® SFF-BP fork; 4.7-inch travel
Rear Suspension	Unit Pro-Link® HMAS™ single shock; 5.1-inch travel
Front Brake	Dual 310mm discs with radial-mounted four-piston calipers
Rear Brake	Single 220mm disc
Front Tire	120/70ZR-17
Rear Tire	180/55ZR-17

DIMENSIONS

Rake	23.5°
Trail	3.9 inches
Wheelbase	53.9 inches
Seat Height	32.4 inches
Curb Weight	419 pounds (includes all standard equipment, required fluids and a full tank of fuel)
Fuel Capacity	4.8 gallons

OTHER

Model ID	CBR600RR
Emissions	Meets current EPA standards. Models sold in California meet current CARB standards and may differ slightly due to emissions equipment.
Available Colors	Deep Pearl Gray

FACTORY WARRANTY INFORMATION

Duration	Transferable, one year included, limited warranty
Optional Extended	Extended coverage available with a HondaCare® Protection Plan

*All figures are preliminary and subject to change.