



WORK SMARTER — AND HARDER

Every model in our FourTrax Foreman Rubicon 4x4 lineup is ready to work hard and play hard, and this year we're offering three trim levels that give you a great combination of features: our FourTrax Foreman Rubicon 4x4 EPS with Electric Power Steering, our FourTrax Foreman Rubicon 4x4 DCT EPS that adds our exclusive Honda Automatic Dual Clutch Transmission and an option to choose TrueTimber® Atera camo, and our FourTrax Foreman Rubicon 4x4 DCT EPS Deluxe with aluminum wheels, color-matched suspension and painted bodywork. All three feature independent rear suspension (IRS) for a smooth ride over rough terrain. And all three also share the same reliable, proven 518cc Honda engine that punches way above its class when it comes to efficiency and power.

UTILITY ATVS ARE RECOMMENDED FOR RIDERS 16 YEARS AND OLDER. ATVS CAN BE HAZARDOUS TO OPERATE. FOR YOUR SAFETY, BE RESPONSIBLE. READ THE OWNER'S MANUAL. ALWAYS WEAR A HELMET, EYE PROTECTION AND PROTECTIVE CLOTHING. BE CAREFUL ON DIFFICULT TERRAIN. NEVER RIDE AFTER CONSUMING DRUGS OR ALCOHOL. ON PAVED SURFACES, ON PUBLIC ROADS, WITH PASSENGERS, OR AT EXCESSIVE SPEEDS. NO STUNT RIDING. RESPECT THE ENVIRONMENT WHEN RIDING. FourTrax®, Foreman®, Rubicon®, Honda Pro-Connect™, TrueTimber Atera Camo® and TraxLok® are registered trademarks of Honda Motor Co., Ltd. ©2024 American Honda Motor Co., Inc.



2025 FourTrax Foreman Rubicon 4x4



FEATURES & BENEFITS

POWERFUL 518cc ENGINE

Every Foreman Rubicon model features a tough 518cc engine with the horsepower and torque you need for great performance. This power also gives it better hill-climbing ability. Bottom line: Work or play, this is one ATV that always delivers!

ELECTRIC REVERSE

Available on our Automatic DCT models, this single lever is convenient and easy to operate. It's especially useful when you have to shift from forward to reverse repeatedly, like when you're plowing snow.

FRONT/ REAR CARGO RACKS

The Foreman Rubicon's racks feature strong steel construction and a large flat area. Better still, they're designed so it's easy to attach and remove cargo boxes and other accessories in our Honda Pro-Connect™ line, adding to your Rubicon's versatility.

INDEPENDENT REAR SUSPENSION (IRS)

The Foreman Rubicon's Independent Rear Suspension (IRS) returns two big benefits: First, it helps ensure constant tire contact with the ground for superior traction; second, it helps give you a smooth ride over rough terrain, so you don't get beat up on the trail.

FourTrax Foreman Rubicon 4x4 EPS



FourTrax Foreman Rubicon 4x4 Automatic DCT EPS



FourTrax Foreman Rubicon 4x4 Automatic DCT EPS Deluxe





2025 FourTrax Foreman Rubicon 4x4



FourTrax Foreman Rubicon 4x4 EPS



**FourTrax Foreman Rubicon 4x4
Automatic DCT EPS**



**FourTrax Foreman Rubicon 4x4
Automatic DCT EPS Deluxe**

ENGINE TYPE	518cc longitudinally mounted liquid-cooled single-cylinder four-stroke	518cc longitudinally mounted liquid-cooled single-cylinder four-stroke	518cc longitudinally mounted liquid-cooled single-cylinder four-stroke
BORE AND STROKE	96.0mm x 71.5mm	96.0mm x 71.5mm	96.0mm x 71.5mm
INDUCTION	PGM-FI; 36mm throttle body	PGM-FI; 36mm throttle body	PGM-FI; 36mm throttle body
STARTER	Electric with optional auxiliary recoil	Electric with optional auxiliary recoil	Electric with optional auxiliary recoil
VALVE TRAIN	OHV; two valves per cylinder	OHV; two valves per cylinder	OHV; two valves per cylinder
COMPRESSION RATIO	9.5:1	9.5:1	9.5:1
CLUTCH	Automatic	Automatic	Automatic
TRANSMISSION	Five-speed manual with reverse	Five-speed automatic dual-clutch transmission with reverse and Low/Drive subtransmission	Five-speed automatic dual-clutch transmission with reverse and Low/Drive subtransmission
DRIVELINE	Direct front and rear driveshafts with TraxLok® and front differential lock	Direct front and rear driveshafts with TraxLok and front differential lock	Direct front and rear driveshafts with TraxLok and front differential lock
FRONT SUSPENSION	Independent double-wishbone; 7.3 inch travel	Independent double-wishbone; 7.3 inch travel	Independent double-wishbone; 7.3 inch travel
REAR SUSPENSION	Independent double-wishbone; 8.5-inch travel	Independent double-wishbone; 8.5-inch travel	Independent double-wishbone; 8.5-inch travel
FRONT BRAKES	Dual 190mm discs	Dual 190mm discs	Dual 190mm discs
REAR BRAKES	170mm disc	170mm disc	170mm disc
FRONT TIRES	25 x 8-12	25 x 8-12	25 x 8-12
REAR TIRES	25 x 10-12	25 x 10-12	25 x 10-12
LENGTH	86.0 inches	86.0 inches	86.0 inches
WIDTH	47.4 inches	47.4 inches	47.4 inches
HEIGHT	48.7 inches	48.7 inches	48.7 inches
WHEELBASE	50.9 inches	50.9 inches	50.9 inches
SEAT HEIGHT	36.3 inches	36.3 inches	36.3 inches
TOWING CAPACITY	1322 pounds	1322 pounds	1322 pounds
GROUND CLEARANCE	9.7 inches	9.7 inches	9.7 inches
CURB WEIGHT	697 pounds (includes all standard equipment, required fluids and a full tank of fuel)	725 pounds (includes all standard equipment, required fluids and a full tank of fuel)	719 pounds (includes all standard equipment, required fluids and a full tank of fuel)
FUEL CAPACITY	3.9 gallons, including 1.3-gallon reserve	3.9 gallons, including 1.3-gallon reserve	3.9 gallons, including 1.3-gallon reserve
TURNING RADIUS	11.5 feet	11.5 feet	11.5 feet
FRONT RACK CAPACITY	99 pounds	99 pounds	99 pounds
REAR RACK CAPACITY	187 pounds	187 pounds	187 pounds

One Year Included Transferable, limited warranty

Optional Extended coverage available with a HondaCare® Protection Plan